G.R.S. 34
Previous reference
382-E (1-6)
530-V) 1-21 1909
40-08
322-08 1115-09 (Municipal)
Later reference
Pol. 78-09
Mpl 176-09

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1 & 3

Part B for July 1909

Subject

Charges on account of excess Consumption of water in the Bycullah

from The Chief Engr & Secy, P.W.D. no 21/561 of 25-1-09. forwarding D.D.W. Price estimates & other papers re estimate for purchase and fencing masses for 126 houses in the Bycullah Division to which water Connections have been given for the Consideration of the question as to whether the charges recovered from house-owners on acct of excess Consumption of water should be credited to Govt or to the Municipality.

3. To Ex; Asstt Engr 2nd Cl, Cuttack, } no 96-S of 3.7.09
Cuttack, P.W.D. & Secy

GPS 3,000-9-08

approves of the Chief Engr's suggestion to credit to Govt the excess charges recd & observes that it would be worth while Consideration whether P.W.D. Staff should not enable the Collr-

G.R.S 11] 1908-09

GENERAL AND REVENUE SECRETARIAT

(Transfer)

NOTES.

File No. 327-08

FILE HEADING

Charges on account of excess consumption of water in the Bangalore City.

From

The Chief Engineer, Hy., P.W.D.

No 91/561 Dated 25-1-09 Received 26-1-09

Diary No 5202	Enclos 3	Spare Copies	Serial No 1

BRIEF ABSTRACT OF LETTER.

Forwards P.W. Office note and other papers re estimate for purchasing and fixing meters for 125 houses in the Bangalore City to which water connections have been given for consideration of the question as to whether the charges recovered from house-owners on account of excess consumption of water should be credited to Govt or to the Municipality.

NOTES AND ORDERS

In the Bangalore City the charges on account of excess consumption of water are credited to Govt. The Chief Engineer suggests that the same may be done in the Bangalore City also with a view to meeting out the maintenance charges of the meters

NOTES—First sheet

GPH—2,000—3-1-07

Serial No.

2 The Mysore City Municipality has incurred no expenditure on account of the Vani Vilas water-works which were a free gift to the Municipality by the Govt. Only the maintenance charge of the water-works is being borne by the Municipality.

3. Recently a sum of Rs 50,000/- was sanctioned from the Mysore City Municipal funds on account of the electrification of the water-works pumping plant, this amount having been advanced as a loan by Govt. Apart from this no other capital outlay has been incurred by the Municipality on the water-works. Thus there seems to be no reason why the charges on account of excess consumption of water in the Mysore City should not be credited to the Municipality and not to Govt as in Bangalore.

4. Submitted for orders

Sd/- 3/2/09. 5. It is desirable to know what the Municipal Council has to say with regard to the proposal Please put up a draft to the President.

10.2.09 Sd/-

6 Draft put up. 9. May the draft issue?

Sd/- 8.10 Cr) 12 2 09 Sd/-

Copies [illegible]

Serial No.

questions, last (of the Dewan Approves) inform the Chief Engineer in reply that the rules water charges shall be inserted b/forh. - It would be advisable for the D.P.W. themselves to make the alterations also - [illegible] Waterboy

10. Please put up draft
25. 2. 09 [illegible] [illegible]

11. Draft put up.
[illegible] 12. Draft submitted for approval
[illegible] Dewan) 28. 2. 09 [illegible]
1/2/09
1. 3. 09

1576

14. Submit to present "K" for perusal & issue
[illegible]
1/3/09

15. The Chief Engineer states in his memo no 3926 dated 15-16 May 1909 that "meters cannot be fixed unless a water tax is in force; and the rules as to free allowance laid down: as the excess drawn over free allowance cannot be determined

G.P.S.—2,000—11-3-05

[13] Revenue and Revenue Secretariat

File No. 327 of 1908 5202

Serial No.

Certain rules have already been passed for the regulation of house connections from the Vanivilasa Water works (Vide G O dated 17.12.06). The quantity allowed free may be calculated and the excess determined charged for as per para 7 thereof.

V

K. It is a question if the D P. W can be deemed entitled to take the whole of the amount recovered on account of excess water consumption, in consideration of its fixing meters and maintaining them. The municipality has incurred large expenditure for the improvement of water supply. Its finances are low and the Municipal Council may not be unwilling to incur some further additional expenditure in fixing meters and maintaining them, if the return should prove profitable.

17. May the draft issue?

(Sd) 22.6.09 KWD

Note:—Contra Circot

(9) 26.6.09 Issued 25.6.09

Serial No.

3 20 G. O No 96-8 dated the 3rd July 09 Observes after Chief Engineer's suggestion to credit to Govt the amount collected by way of fees on account of excess water consumed over the free allowance and observes that it is worthy of consideration whether the P. W. D. itself should not make the collections also

My dear Matthan,

Herewith the file re unpaid excess water - I find the order has been already issued - The municipality will probably move first in the matter again or we may reconsider the whole question in connection with the general question of the liability of the municipality to pay for the water supplied. The latter is better - Yours sincerely

Sd/ [illegible]
6/7/09

Sd/ [illegible]
7/7

Form—Comln. sheet

5202

91 23
561

IV 4 26 11

II 25 11
50 261.

Forwarded to the Secretary to Govt, General and Revenue Departments, for favor of necessary action on para 3 of the Dewan's memo dated the 18th instant

Bernard Dawes.
Captain
for Secretary to Govt, P&D

25
22/1/09.

ml 327-08
SL-1

2

G.F.S. 28]

File No. 327-88
Serial No 3

Diary No. of letter replied to 5202

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT
(Mel)

, the 190

Date of issue 3-7-89

Signed by MRM

READ— Chief Engineer K. P. W. Secretary's note 8/ 6.7.89 Amnt metering some of the important house connections in the Mysore City, stating that as meters are provided at Government cost, it is believed that the Mysore City Municipality will have no objection to the charges recovered on account of the excess consumption of water being credited to Govt, as is done by the Bangalore City Municipality, for meeting the cost of maintenance of these meters.

Order thereon

SUBJECT

? Order Number 96-8 93-7-09

ml327-08

The Chief Engineer's suggestion
for meter consumption of water
to credit the Sewer charges to
Govt. is approved. ~~He should~~ The matter of
~~be advisable for the D.P.W. Commissioner~~ Whether
Dept. itself
obtained at
~~to~~ make the collections also.

Jones

Sanders
Aug 25/1909

15 Aug 09

KBH

25/8/09

The Chief Engineer returning the Enclo. of this memo No. 91 dt 25-8-1909
President Mysore City
Municipal Council
Comptroller D.P.W. Rly

OBK
7/7
Instructed
7/8/7